On good \mathbb{Z} -gradings of basic Lie superalgebras

Crystal Hoyt^{*†}

Abstract

We discuss the classification of good \mathbb{Z} -gradings of basic Lie superalgebras. This problem arose in connection to W-algebras, where good \mathbb{Z} -gradings play a role in their construction.

1 Introduction

One component of the definition of a finite or affine super W-algebra is a good \mathbb{Z} -grading for a nilpotent element. Affine super W-algebras are (super) vertex algebras obtained from affine Lie superalgebras by quantum Hamiltonian reduction [8], whereas finite super W-algebras are associative superalgebras which can be defined via the universal enveloping algebra of a finite-dimensional simple Lie superalgebra [3].

Good \mathbb{Z} -gradings of simple finite-dimensional Lie algebras where classified by A. Elashvili and V.G. Kac in 2005 [4]. K. Baur and N. Wallach classified nice parabolic subalgebras of reductive Lie algebras in [1], which correspond to good even \mathbb{Z} -gradings by [4, Theorem 2.1]. J. Brundan and S. Goodwin classified good \mathbb{R} -gradings for semisimple finite-dimensional Lie algebras using certain polytopes, and proved that two finite W-algebras defined by the same nilpotent element $e \in \mathfrak{g}$ are isomorphic [2]. This often allows one to reduce to the case that the good \mathbb{Z} -grading is even.

Here we discuss the classification of good Z-gradings of basic Lie superalgebras [5]. In the case that \mathfrak{g} is $\mathfrak{gl}(m|n)$ or $\mathfrak{osp}(m|2n)$ the good Z-gradings are parameterized by "good" pyramids, generalizing the definition of [4]. Whereas, for the exceptional Lie superalgebras, all good Z-gradings are shown to be Dynkin. Using this classification one can determine which nilpotent elements have a good even Z-grading. For example, every nilpotent even element of $\mathfrak{gl}(m|n)$ has a good even Z-grading.

2 Basic Lie superalgebras

Finite-dimensional simple Lie superalgebras were classified by V.G. Kac in [7]. These can be separated into three types: basic, strange and Cartan. A finite-dimensional simple Lie superalgebra $\mathfrak{g} = \mathfrak{g}_{\bar{0}} \oplus \mathfrak{g}_{\bar{1}}$ is called *basic* if $\mathfrak{g}_{\bar{0}}$ is a reductive Lie algebra and \mathfrak{g} has an even nondegenerate invariant bilinear form (\cdot, \cdot) . This form is necessarily supersymmetric. The basic Lie superalgebras are the following: $\mathfrak{sl}(m|n) : m \neq n$, $\mathfrak{psl}(n|n) := \mathfrak{sl}(n|n)/\langle I_{2n} \rangle$, $\mathfrak{osp}(m|2n)$, $D(2, 1, \alpha)$, F(4), G(3), and finite dimensional simple Lie algebras.

Fix a Cartan subalgebra \mathfrak{h} . Then \mathfrak{g} has a root space decomposition $\mathfrak{g} = \mathfrak{h} \oplus \bigoplus_{\alpha \in \Delta} \mathfrak{g}_{\alpha}$. The $\mathbb{Z}/2\mathbb{Z}$ -grading of \mathfrak{g} determines a decomposition of Δ into the disjoint union of the even roots $\Delta_{\overline{0}}$ and the odd roots $\Delta_{\overline{1}}$. Corresponding to a set of simple roots $\Pi = \{\alpha_1, \ldots, \alpha_n\} \subset \Delta$ of \mathfrak{g} , we have the triangular decomposition $\mathfrak{g} = \mathfrak{n}^- \oplus \mathfrak{h} \oplus \mathfrak{n}^+$.

Most basic Lie superalgebras have more than one distinct Dynkin diagram. This is due to the fact that the Weyl group does not act simply transitively on the set of bases. However, we can extend the Weyl group to a Weyl groupoid by including "odd reflections", which allow us to move between the different bases. In particular, if $\alpha_k \in \Pi$ is a simple isotropic root, then we can define the odd reflection at α_k to obtain a new set of simple roots Π' for Δ [9].

3 Good \mathbb{Z} -gradings

A \mathbb{Z} -grading $\mathfrak{g} = \bigoplus_{j \in \mathbb{Z}} \mathfrak{g}(j)$ is called *good* if there exists $e \in \mathfrak{g}_{\bar{0}}(2)$ such that the map ad $e : \mathfrak{g}(j) \to \mathfrak{g}(j+2)$ is injective for $j \leq -1$ and surjective for $j \geq -1$. If a \mathbb{Z} -grading of \mathfrak{g} is defined by a semisimple element $h \in \mathfrak{g}_{\bar{0}}$, then this condition is equivalent to all of the eigenvalues of ad(h) on the centralizer \mathfrak{g}^e of e in \mathfrak{g} being non-negative.

An example of a good \mathbb{Z} -grading for a nilpotent element $e \in \mathfrak{g}_{\bar{0}}$ is the *Dynkin grading*. By the Jacobson-Morosov Theorem, e belongs to an \mathfrak{sl}_2 -triple $\mathfrak{s} = \{e, f, h\} \subset \mathfrak{g}_{\bar{0}}$, where [e, f] = h, [h, e] = 2e and [h, f] = -2f. By \mathfrak{sl}_2 theory, the grading of \mathfrak{g} defined by ad h is a good \mathbb{Z} -grading for e.

^{*}Department of Mathematics, Bar-Ilan University, Ramat Gan 52900, Israel; hoyt@math.biu.ac.il.

 $^{^{\}dagger}$ Supported by JSPS at Nara Women's University, Japan, and by ISF center of excellence 1691/10 at Bar-Ilan University, Israel. Supported by the Minerva foundation with funding from the Federal German Ministry for Education and Research.

For each nilpotent even element $x \in \mathfrak{g}$ (up to conjugacy) we describe all \mathbb{Z} -gradings for which this element is good. For the exceptional Lie superalgebras, we have the following

Theorem 3.1 (Hoyt [5]). All good \mathbb{Z} -gradings of the exceptional Lie superalgebras, F(4), G(3), and $D(2, 1, \alpha)$, are Dynkin gradings.

To describe the good \mathbb{Z} -gradings of $\mathfrak{gl}(m|n)$ we generalize the definition of a pyramid given in [2, 4]. A pyramid P is a finite collection of boxes of size 2×2 in the upper half plane which are centered at integer coordinates, such that for each $j = 1, \ldots, N$, the second coordinates of the j^{th} row equal 2j - 1 and the first coordinates of the j^{th} row form an arithmetic progression $f_j, f_j + 2, \ldots, l_j$ with difference 2, such that the first row is centered at (0, 0), i.e. $f_1 = -l_1$, and

$$f_j \le f_{j+1} \le l_{j+1} \le l_j \quad \text{for all } j. \tag{1}$$

Each box of P has even or odd parity. We say that P has size (m|n) if P has exactly m even boxes and n odd boxes.

Fix $m, n \in \mathbb{Z}_+$ and let (p,q) be a partition of (m|n). Let $r = \psi(p,q) \in Par(m+n)$ be the total ordering of the partitions p and q which satisfies: if $p_i = q_j$ for some i, j then $\psi(p_i) < \psi(q_j)$. We define Pyr(p,q) to be the set of pyramids which satisfy the following two conditions: (1) the j^{th} row of a pyramid $P \in Pyr(p,q)$ has length r_j ; (2) if $\psi^{-1}(r_j) \in p$ (resp. $\psi^{-1}(r_j) \in q$) then all boxes in the j^{th} row have even (resp. odd parity) and we mark these boxes with a "+" (resp. "-" sign).

Corresponding to each pyramid $P \in Pyr(p,q)$ we define a nilpotent element $e(P) \in \mathfrak{g}_{\bar{\mathfrak{g}}}$ and semisimple element $h(P) \in \mathfrak{g}_{\bar{\mathfrak{g}}}$, as follows. Recall $\mathfrak{gl}(m|n) = \operatorname{End}(V_0 \oplus V_1)$. Fix a basis $\{v_1, \ldots, v_m\}$ of V_0 and $\{v_{m+1}, \ldots, v_{m+n}\}$ of V_1 . Label the even (resp. odd) boxes of P by the basis vectors of V_0 (resp. V_1). Define an endomorphism e(P) of $V_0 \oplus V_1$ as acting along the rows of the pyramid, i.e. by sending a basis vector v_i to the basis vector which labels the box to the right of the box labeled by v_i or to zero if it has no right neighbor. Then e(P) is nilpotent and corresponds to the partition (p,q). Since e(P) does not depend the choice of P in Pyr(p,q), we may denote it by $e_{p,q}$. Moreover, $e_{p,q} \in \mathfrak{g}_{\bar{0}}$ because boxes in the same row have the same parity.

Define h(P) to be the (m + n)-diagonal matrix where the i^{th} diagonal entry is the first coordinate of the box labeled by the basis vector v_i . Then h(P) defines a \mathbb{Z} -grading of \mathfrak{g} for which $e_{p,q} \in \mathfrak{g}(2)$. Let $P_{p,q}$ denote the symmetric pyramid from Pyr(p,q). Then $h(P_{p,q})$ defines a Dynkin grading for $e_{p,q}$, and $P_{p,q}$ is called the Dynkin pyramid for the partition (p|q).

Theorem 3.2 (Hoyt [5]). Let $\mathfrak{g} = \mathfrak{gl}(m|n)$, and let (p,q) be a partition of (m|n). If P is a pyramid from Pyr(p,q), then the pair $(h(P), e_{p,q})$ is good. Moreover, every good grading for $e_{p,q}$ is of the form $(h(P), e_{p,q})$ for some pyramid $P \in Pyr(p,q)$.

This theorem is proven by studying the centralizer of a nilpotent element and of an \mathfrak{sl}_2 triple in $\mathfrak{gl}(m|n)$. In a similar manner, we classify the good \mathbb{Z} -gradings for the Lie superalgebra $\mathfrak{osp}(m|2n)$.

A good \mathbb{Z} -grading of the Lie superalgebra \mathfrak{g} for a nilpotent element $e \in \mathfrak{g}_{\bar{0}}$ restricts to a good \mathbb{Z} -grading for the Lie algebra $\mathfrak{g}_{\bar{0}}$. So it is natural to ask which good \mathbb{Z} -gradings of $\mathfrak{g}_{\bar{0}}$ extend to a good \mathbb{Z} -grading of \mathfrak{g} , and to what extent is an extension unique.

Example 3.3. Let $\mathfrak{g} = \mathfrak{gl}(4|6)$ and consider the partitions p = (3,1) and q = (4,2). The Dynkin grading of $\mathfrak{g}_{\bar{0}} = \mathfrak{gl}(4) \times \mathfrak{gl}(6)$ for the partition (p,q) corresponds to the following symmetric pyramids.



There are pyramids in Pyr(p,q) for which the induced grading of $\mathfrak{g}_{\bar{0}}$ is the one given above, and these correspond to good \mathbb{Z} -gradings. They are represented by the following pyramids:



Example 3.4. Let $\mathfrak{g} = \mathfrak{gl}(4|6)$ and consider the partitions p = (3,1) and q = (4,2). The following pyramids represent a good \mathbb{Z} -grading of $\mathfrak{g}_{\bar{0}}$ for which there is no good \mathbb{Z} -grading of \mathfrak{g} with this induced good \mathbb{Z} -grading of $\mathfrak{g}_{\bar{0}}$.



For the classification of good \mathbb{Z} -gradings of $\mathfrak{osp}(m|2n)$ see [5].

4 Centralizers of \mathfrak{sl}_2 -triples

The centralizers of \mathfrak{sl}_2 -triples in $\mathfrak{gl}(m|n)$ and $\mathfrak{osp}(m|2n)$ can be described following the ideas of [6] for the Lie algebras $\mathfrak{gl}(m)$, $\mathfrak{so}(m)$ and $\mathfrak{sp}(2n)$. There is a one-to-one correspondence between *G*-orbits of nilpotent even elements in $\mathfrak{gl}(m|n)$ and partitions of (m|n). Let $p = (r_1^{m_1}, \ldots, r_N^{m_N})$ be a partition of *m* and $q = (r_1^{n_1}, \ldots, r_N^{n_N})$ a partition of *n*, that is r_i has multiplicity m_i in *p* and multiplicity n_i in *q*. We note that m_i or n_i may be zero.

Theorem 4.1 (Hoyt [5]). Let $\mathfrak{g} = \mathfrak{gl}(m|n)$. Let e be a nilpotent even element corresponding to a partition (p,q) of (m|n), and let $\mathfrak{s} = \{e, f, h\} \subset \mathfrak{g}'_{\overline{0}}$ be an \mathfrak{sl}_2 -triple for e. Then we have an isomorphism

$$\mathfrak{g}^{\mathfrak{s}} \xrightarrow{\sim} \mathfrak{gl}(m_1, n_1) \times \cdots \times \mathfrak{gl}(m_N, n_N)$$

of Lie superalgebras.

A partition is called *symplectic* (resp. *orthogonal*) if m_{p_i} is even for odd p_i (resp. even p_i). We say that a partition (p,q) of (m|2n) is orthosymplectic if p is an orthogonal partition of m and q is a symplectic partition of 2n. There is a one-to-one correspondence between G-orbits of nilpotent even elements in $\mathfrak{osp}(m|2n)$ and orthosymplectic partitions of (m|2n). Let (p,q) be an orthosymplectic partition of (m|2n), and represent it as $p = (r_1^{m_1}, \ldots, r_N^{m_N}, s_1^{2c_1}, \ldots, s_T^{2c_T})$ and $q = (r_1^{2n_1}, \ldots, r_N^{2n_N}, s_1^{d_1}, \ldots, s_T^{d_T})$, where r_i are the even parts and s_i are the odd parts.

Theorem 4.2 (Hoyt [5]). Let $\mathfrak{g} = \mathfrak{osp}(m|2n)$. Let e be a nilpotent even element corresponding to an orthosymplectic partition (p,q) of (m|n), and let $\mathfrak{s} = \{e, f, h\} \subset \mathfrak{g}_{\bar{0}}$ be an \mathfrak{sl}_2 -triple for e. Then we have an isomorphism

$$\mathfrak{g}^{\mathfrak{s}} \xrightarrow{\sim} \mathfrak{osp}(m_1, 2n_1) \times \cdots \times \mathfrak{osp}(m_N, 2n_N) \times \mathfrak{osp}(d_1, 2c_1) \times \cdots \times \mathfrak{osp}(d_T, 2c_T)$$

of Lie superalgebras.

5 Characteristics and the Weyl groupoid

We give an explicit criterion for when two Dynkin diagram characteristics determine the same \mathbb{Z} -grading by using the action of the Weyl groupoid. Given a \mathbb{Z} -grading of \mathfrak{g} , we can choose a Cartan subalgebra $\mathfrak{h} \subset \mathfrak{g}(0)$. Then for $\mathfrak{g} \neq \mathfrak{psl}(2|2)$, the root space decomposition is compatible with the \mathbb{Z} -grading. So we can define a map Deg : $\Delta \cup \{0\} \to \mathbb{Z}$ by Deg $(\alpha) = k$ if $\alpha \in \Delta_k$ and Deg(0) = 0.

Now for each base $\Pi \subset \Delta$, the degree map of a \mathbb{Z} -grading is determined by its restriction to Π , that is, by $D: \Pi \to \mathbb{Z}$. A reflection at a simple root of Π yields a new map $D': \Pi' \to \mathbb{Z}$, where Π' is the reflected base and D' is defined on Π' by linearity. The maps $D: \Pi \to \mathbb{Z}$ and $D': \Pi' \to \mathbb{Z}$ define the same grading.

It is natural to ask the following question: when do two maps $D_1 : \Pi_1 \to \mathbb{N}$ and $D_2 : \Pi_2 \to \mathbb{N}$ define the same \mathbb{Z} -grading, i.e. when can they be extended to a linear map $\text{Deg} : \Delta \cup \{0\} \to \mathbb{Z}$?

Theorem 5.1 (Hoyt [5]). Let $\Pi_1 = \{\alpha_1, \ldots, \alpha_n\}$, $\Pi_2 = \{\beta_1, \ldots, \beta_n\}$ be two different bases for Δ . If the maps $D_1 : \Pi_1 \to \mathbb{N}$ and $D_2 : \Pi_2 \to \mathbb{N}$ define the same grading, then there is a sequence of even and odd reflections \mathcal{R} at simple roots of degree zero such that (after reordering) $\mathcal{R}(\alpha_i) = \beta_i$ and $D_1(\alpha_i) = D_2(\beta_i)$ for $i = 1, \ldots, n$.

References

- [1] K. Baur and N. Wallach, Nice parabolic subalgebras of reductive Lie algebras, Represent. Theory 9 (2005), 1–29.
- [2] J. Brundan and S. Goodwin, Good grading polytopes, Proc. London Math. Soc. 94 (2007), 155–180.
- [3] A. De Sole and V. G. Kac, Finite vs Affine W-algebras, Japan. J. Math. 1 (2006), 137-261.
- [4] A. G. Elashvili and V. G. Kac, *Classification of good gradings of simple Lie algebras*, Lie groups and invariant theory (E. B. Vinberg ed.), Amer. Math. Socl. Transl. Ser. 2 213 (2005), 85–104.
- [5] C. Hoyt, Good gradings of basic Lie superalgebras, http://arxiv.org/abs/1010.3412.
- [6] J. C. Jantzen, Nilpotent orbits in representation theory, Lie Theory: Lie Algebras and Representations (J.-P. Anker and B. Orsted, eds.), Progress in Math., vol. 228, Birkhäuser Boston (2004), 1–211.
- [7] V.G. Kac, Lie superalgebras, Advances in Math 26 (1977), 8-96.
- [8] V. G. Kac, S. Roan and M. Wakimoto, Quantum reduction for affine superalgebras, Commun. Math. Phys. 241 (2003), 307-342.
- D. Leites, M. Savel'ev and V. Serganova, Embeddings of Lie superalgebra osp(1|2) and nonlinear supersymmetric equations, Group Theoretical Methods in Physics 1 (1986), 377–394.